

CENTRO HOSPITALAR LISBOA NORTE, EPE







TERAPEUTHICAL ADHERENCE

SANTA MARIA UNIVERSITY HOSPITAL DEPARTMENT OF DISEASES OF THE CHEST



RAQUEL BOLAS

CONCEPT "Therapeutic Adherence"


According to The "World Health Organization", (2003) adherence consists on the patient taking the medication, simultaniously with a diet and changes in lifestyle in acording to the health care provider's recommendation.

The patient has a collaborative and active role in the planning and the pursuit of the therapy.



RAQUEL BOLAS

THEPAPEUTIC ADHERENCE




FONT: Machado, M. *Adesão ao Regime Terapêutico - Representações das pessoas com IRC sobre o contributo dos enfermeiros.* Instituto de Educação e Psicologia -Março 2009



RAQUEL BOLAS

NON COMPLIENCE



FONT: Machado, M. *Adesão ao Regime Terapêutico - Representações das pessoas com IRC sobre o contributo dos enfermeiros.* Instituto de Educação e Psicologia -Março 2009



RAQUEL BOLAS

FOLLOWUP OF ADHERENCE

Direct and indirect Methods

INDIRECT

Patient report

Phisician opinion

Patients diary

Controling medication

Clinical followup

DIRECT

Serum concentrations

Concentration of biological markers

Direct witnessing

FONT: Dias, A. M., Cunha, M., Santos, A., Neves, A., Pinto, A., Silva, A., Castro, S. (2011). Adesão ao regime Terapêutico na Doença Crónica: Revisão da Literatura. Millenium, 40: 201-219.



RAQUEL BOLAS

ADHERENCE

CLOSELY CONECTED TO:

- Professional health relationship with patient/family
- Clear dialogue between nurse and patient
- Tailored treatament
- Taking in to account the mental status and the personal belives of the patient

FONT: Dias, A. M., Cunha, M., Santos, A., Neves, A., Pinto, A., Silva, A, Castro, S. (2011). *Adesão ao regime Terapêutico na Doença Crónica*: Revisão da Literatura. *Millenium, 40: 201-219*.



RAQUEL BOLAS

THE NURSE IN THE OUT PATIENT CLINIC



FONT: Dias, A. M., Cunha, M., Santos, A., Neves, A., Pinto, A., Silva, A., Castro, S. (2011). *Adesão ao regime Terapêutico na Doença Crónica*: Revisão da Literatura. *Millenium, 40: 201-219.*



RAQUEL BOLAS

IN THE NURSES APPOINTMENT THE PATIENT REPORTS ALL HIS DAILY TERAPEUTHIC HABITS.



PATIENTS: 58 CHILDS 44 ADULTS ALL PATIENTS 58 **PATIENTS**






































































































RAQUEL BOLAS

Microbial contamination of nebulizers in the home treatment of cystic fibrosis

H. Blau, H. Mussaffi, M. Mei Zahav, D. Prais, M. Livne, B. M. Czitron and H. A. Cohen




Figure 1. Microbial colonization of nebulizers. CFUs, colony-forming units.



RAQUEL BOLAS

FACTORS THAT ENHANCE THE ADHERANCE TO THERAPY

The World Health Organization aggregates the different factors that can interfere with the terapeuthica adherence in five groups:

- Socioeconomic and cultural factors
- Factors related to health care strutures and personal believes
- Factors related with the disease and complications
- Factors related to therapy
- Factors related to the individual patient



RAQUEL BOLAS

ATTITUDES OF THE TEAM ENABLING TO ADHERENCE

To promote	To avoid
-Responsibility of the patient and obtain their approval / understanding the objectives	- To Ignore beliefs, feelings and conflicts
-Make sense of the proposed (objectives of the patient and the team)	-To Impose, threaten and coerce
-Take into account individual circumstances	-To Propose unrealistic goals
-Working coping strategies	- To blame
-Skills development related to health	-Interventions bit too flexible and standardized



RAQUEL BOLAS

PSYCHOLOGICAL FACTORS WHO CONDITION THE ADHERENCE

FACTORS THAT CONDITION THE ADHERENCE	HOW TO PREVENT AND INTERVENE
Emocional Symptoms: -Depression -Anxiety -Stress/exhaustion - Alteration in the Behavior	-Incentivate there thoughts and emotions -If necessary, refer to a psychologist or psychiatrist
Psychosocial factors: -Lack of socio-emotional support -Low education -Unemployment -Social isolation	-Increase participation / involvement of family members to improve support -Promoting social inclusion and interaction with community structures -If necessary, refer to social services



RAQUEL BOLAS


A GOOD FAMILY IS VERY IMPORTANT













RAQUEL BOLAS

BIBLIOGRAPHY

Dias, A. M., Cunha, M., Santos, A., Neves, A., Pinto, A., Silva, A, Castro, S. (2011). *Adesão ao regime Terapêutico na Doença Crónica*: Revisão da Literatura. *Millenium, 40: 201-219.*

Machado, M. *Adesão ao Regime Terapêutico - Representações das pessoas com IRC sobre o contributo dos enfermeiros.* Instituto de Educação e Psicologia - Março 2009

Microbial contamination of nebulizers in the home treatment of cystic fibrosis H. Blau, H. Mussaffi, M. Mei Zahav, D. Prais, M. Livne, B. M. Czitron and H. A. CohenJournal compilation © 2006 Blackwell Publishing Ltd

Silva, N.; Silva, S. *Manual de Reabilitação Cardíaca* - Sociedade Portuguesa de Cardiologia ,2013, Lisboa 1ª Edição



RAQUEL BOLAS

THANKS TO

The participating patients and parents

My family

My colleagues

My supervisors
Nurse Catarina Batuca
NurseTeresa Dotti

Novartis Gillead

Departament of Pediatrics

Nurse Fátima Azambujo Nurse Margarida Bonança Nurse Aline Prata



RAQUEL BOLAS

THANKS!! OBRIGADA!!

princesabolas@gmail.com